Add: No.10 Bldg Shuntai, No.2000 Shunhua Rd, High-Tech Zone , Jinan City, Shandong Province, China Contact: +86 053155690071 Website: www.unilongmaterial.com

CERTIFICATE OF ANALYSIS

| Product Name: | Polyvinyl alcohol(USP 38) | Batch No. | JL20230515 |
|------------------------------|---------------------------|---------------|----------------|
| Cas | 9002-89-5 | MF Date | May. 15, 2023 |
| Packing | 25KGS/BAG | Analysis Date | May. 15, 2023 |
| Quantity | 5000KGS | Expiry Date | May. 14, 2025 |
| ITEM 分析项目 | STANDARD 技术指标 | | RESULT 实测结果 |
| Appearance | White solid powder | | Qualified |
| Viscosity | 21.0~33.0 | | 28 |
| PH value | 5.0~8.0 | | 6.7 |
| Degree of hydrolysis% | 85~89 | | 89 |
| Loss on drying% | ≤5.0 | | Qualified |
| Burning residue% | ≤1.0 | | Qualified |
| Water insoluble impurity% | ≤0.1 | | Qualified |
| Methanol and methyl acetate% | ≤1.0 | | Qualified |
| Acid value% | ≤3.0 | | Qualified |
| Heavy metal | ≤10ppm | | Qualified |
| Assay% | 85.0%~115.0% | | Qualified |
| Conclusion | Qualified | | |

Analyst: Wen Qian

Quality Assurance Officer: Zhan Peng