



CERTIFICATE OF ANALYSIS

|                               |                             |               |               |
|-------------------------------|-----------------------------|---------------|---------------|
| Product Name                  | Dextranase                  | Batch No.     | JL20250520    |
| CAS                           | 9025-70-1                   | MF Date       | MAY.20,2025   |
| Packing                       | 25KG/bag                    | Analysis Date | MAY.20,2025   |
| Quantity                      | 3000kg                      | Expiry Date   | MAY.19,2027   |
| ITEM                          | STANDARD                    |               | RESULT        |
| Description                   | Off White Powder            |               | Comply        |
| Odor & Taste                  | Slight odor of fermentation |               | Comply        |
| Moisture                      | $\leq 7\%$                  |               | 4.95 %        |
| Dextranase Activity           | $\geq 100000$ U/g           |               | 111292.00 U/g |
| Total aerobic microbial count | $\leq 1000$ CFU/g           |               | <10           |
| Total yeasts and molds        | $\leq 50$ CFU/g             |               | <10           |
| E.Coli (in 25g)               | Absent                      |               | Complies      |
| Salmonella (in 25g)           | Absent                      |               | Complies      |
| Coliform                      | $\leq 30$ CFU/g             |               | <10           |
| Lead                          | $\leq 3$ ppm                |               | Not detected  |
| Mercury                       | $\leq 0.1$ ppm              |               | Not detected  |
| Cadmium                       | $\leq 1$ ppm                |               | Not detected  |
| Arsenic                       | $\leq 1$ ppm                |               | Not detected  |
| Conclusion                    | Qualified                   |               |               |



Analyst: Wen Qian

Quality Assurance Officer: Zhan Peng